



**Guy's and St Thomas'**  
NHS Foundation Trust

# Life prolongation at what cost.....

## *An OPAT story*


Carolyn Hemsley  
*Consultant – Infectious Diseases & Medical Microbiology*  
*GSTT OPAT Lead*

---

# AO 63 year old man – presented to acute oncology 10<sup>th</sup> Nov 2021

- **PC:** 24hr history of fever, RUQ pain and bilious vomiting
- **Background**
  - Diagnosis of Adeno Ca Gallbladder July 2021
  - Came to UK to live with daughter and receive further medical care
  - Seen Oct 2021 Guys Cancer Centre disease progression local recurrence and liver mets and infiltrative disease into liver with secondary bile duct obstruction
  - 10 days before he had an ERCP - sphincterotomy + dilation + stent insertion. Given 5 days Cipro ta the time

# Nov 2021 – positive blood cultures 10/11/22 and 11/11/22

Name:	Sex: M DoB:	BLOOD CULTURE	Blood - culture
NB. : The only situations where blood may be drawn from vascular-More in Notepad			
Request Date: 11/11/2021 15:25 Sample Date: 11/11/2021 13:18 Source: Alan Apley (AMS)			
Status: Printed		Report Date: 11/11/2021	
1) Klebsiella pneumoniae isolated from both bottles.			
Gentamicin	1) R		
Amoxicillin	R		
Co-amoxiclav	R		
Cefuroxime	R		
Cotrimoxazole	(S)		
Ciprofloxacin	R		
Piperacillin/Taz	R		
Amikacin	R		
Ceftazidime	(R)		
Cefpodoxime	(R)		
Meropenem	R		
Cefepime	(R)		
Aztreonam	(R)		
Tobramycin	(R)		
Tigecycline	(R)		
Ertapenem	(R)		
Cefotaxime	(R)		
Cefoxitin	(R)		
Colistin	(R)		
<			
"Authorised Report"			

# Nov 2021

Name: Sex: M DoB:  
NB. : The only situations where blood may be drawn from vascular-M  
Request Date: 11/11/2021 15:25 Sample Date: 11/11/2021 13:18 S

Status: Printed

1) Klebsiella pneumoniae  
isolated from both bottles.

Gentamicin	1)	R
Amoxicillin		R
Co-amoxiclav		R
Cefuroxime		R
Cotrimoxazole		(S)
Ciprofloxacin		R
Piperacillin/Taz		R
Amikacin		R
Ceftazidime		(R)
Cefpodoxime		(R)
Meropenem		R
Cefepime		(R)
Aztreonam		(R)
Tobramycin		(R)
Tigecycline		(R)
Ertapenem		(R)
Cefotaxime		(R)
Cefoxitin		(R)
Colistin		(R)

<

\*\*\*Authorised Report\*\*\*

NB. : The only situations where blood may be drawn from vascular-More in Notepad  
Request Date: 10/11/2021 17:02 Sample Date: 10/11/2021 12:30 Source: GSTT AE Adults STH

Status: Printed


Ciprofloxacin	R
Piperacillin/Taz	R
Amikacin	R
Ceftazidime	(R)
Meropenem	R
Tigecycline	(R)
Ertapenem	(R)
Aztreonam	(R)
Tobramycin	(R)
Cefepime	(R)
Cefoxitin	(R)
Cefotaxime	(R)
Kleb pneumo carb KPC	(N)
Impenemase IPM	(N)
New Delhi MBL NDM	(P)
Oxacillinase OXA48	(N)
Verona Integron MBL	(N)
Temocillin	(R)
Trimethoprim	(R)
Nitrofurantoin	(R)
Cephalexin	(R)
Fosfomycin	S
Mecillinam	(R)
Colistin	R
Ceftolozane/tazobact	(R)
Cefiderocol	(R)

<

\*\*\*Authorised Report\*\*\*


# Progress

- **Intervention:**
- CT on admission consistent biliary obstruction with stent migration/blockage
- ERCP 12/11/21 and restented
- **Abx:** Cefuroxime + metronidazole + gent 10/11-12/11/21
- Cetaz/Avy + colistin 12/11/21 – 14/11/21
- Fosfomycin IV + Cotrimoxazole IV 14/11/21 – 17/11/21
- Ceftaz/Avy + aztreonam 19/11/21 – 24/11/21
- **Abx stopped and D/C home for oncology follow up**




# Progress – Readmission 21/12/21

# Discharged 26/01/22




# Progress – Readmission 28.1.22 (within 48 hours of being home)



CRK – Carb Res Kleb  
 — Inpatient stay

# Progress – Readmission 28.1.22 now Hepatic abscesses




- **CT 29/1/22** now reported as Multiple new hypodensities within segment 4a of the liver dome with some faint peripheral enhancement, not convincingly connected to the remainder of the moderately dilated biliary tree.
- Appearances likely represent multiple small abscesses



CRK – Carb Res Kleb

Call from Ward team: Given expected long course of abx for hepatic abscesses. Can he go home on OPAT please?



- When does my father get chemo? (family)
- When does this patient go home? (oncologists)
- How do we manage patient, family and oncologists expectations? (infection/ OPAT team)
- Is this an even OPAT deliverable regimen? (infection/ OPAT team)




# What does ceftaz/Avy + Aztreonam OPAT look like?

- **Ceftaz/Avy : 2g/0.5g 8 hourly**
- Manufacturer advises for *intravenous infusion* (Zavicefta®) give in Sodium Chloride 0.9%. Reconstitute each 2 g/0.5 g vial with 10 mL water for injections; dilute requisite dose in an appropriate infusion bag and give over **120 - 180 minutes**
- **Aztreonam : 1g 8 hourly**
- Manufacturer advises reconstitute Aztreonam 1g vial with 10ml of water for injection and administer solution by slow intravenous injection over **3-5 minutes**
- 6am – 8/9am      2pm -2/3pm      10 pm – midnight/1am



# Expectation management - Outcomes of patient on OPAT with malignancy and biliary obstruction with abscesses (2015 – present)

- 17 patients with malignancy and biliary infection
- 16/17 treated as for definite or probable hepatic abscesses in the setting of malignancy
- OPAT days: mean 16 (range 2-33)
- Of those with abscesses only 1/16 had any further chemotherapy.
- All dead by 6 months
- outcome @ 30 days from OPAT stop



# Palliative OPAT – various definitions

**To undertake a course of OPAT on either intravenous and/or complicated oral antimicrobials where there are agreed ceilings of care due to comorbidities, with death being the likely outcome. (Updated good practice recommendations JAC 2019)**

- Patient with terminal diagnosis (eg malignancy) with superadded infection. Without antimicrobials the patient would have a further reduced life expectancy. Intravenous antimicrobials is as part of life prolonging therapy.
- Patient with an infection that is incurable and needs lifelong intravenous antimicrobials as part of control rather than cure

Palliative chemotherapy - Standard care for oncologists

Palliative antibiotics - not so common for our OPAT services

# Expectation management – what is the aim here for our patient?

## Problems

- Language barrier and possibly cultural differences
- Family did not want medical team to talk to their father without them present
- Family did not want to discuss death with the patient
- Daughter refusal to discuss or accept palliative care input
- Oncology attending ward consultant changes weekly – constant revisiting of chemo plans. ‘Once the infection has gone we can give chemo’. Resulting in obsession about chemo from daughter and family

**Finance – sign off was the biggest barrier to discharge in terms of delay in getting this man home**



# Problem Finance – biggest barrier to discharge

- **CEFTAZ/AVI = £308.52 per day**
- **AZTREO = £33.84 per day**

**Cost per week = £2 396.52**

## OPTIONS

1. Stop abx and discharge home
2. Stay on abx in hospital
3. Stay on abx at home (OPAT)




- **AGREED with Oncology clinical director that could not remove antimicrobials as would result in death**
- **OPAT more efficient use of resource than inpatient stay**
- **OPAT Could only be delivered if family could take on administration**
- **AGREED with family complete the 6 weeks course and stop -> £14 380**

- **AGREED with Oncology clinical director that could not remove antimicrobials as would result in death**
- **OPAT more efficient use of resource than inpatient stay**


- Gemcitabine and Cisplatin is given as day 1 and day 8 every 21 days up to 8 cycles (total 6 months).
- £5,824 for all 8 cycles (~ 6 months of chemo)
- £14, 380 for 6 weeks antibiotics and review



# Progress – Readmission 12 days later



# Progress – Readmission within 48 hours



Home for 12 days

**CT/ERCP/CT/ERCP :**  
 persisting left lobe  
 intrahepatic duct dilatation,  
 persisting mets/abscesses

# Expectation management – Surely we now agree that this is palliative OPAT?

## My view and agenda

- Incurable infection
- Will never get to chemotherapy
- Antibiotics keeping him alive
- Need a long-term manageable regimen
- Quality of life for as long as possible
- Patient where he wants to be
- Well managed death

## Family and patient agenda


- Keep him alive
- Get him to chemo

## Oncology agenda

- Not sure
- Get him to chemo?
- Prolong his life?
- Well managed death

# Progress and home again

OPAT @ reduced 12 hourly dosing ceftaz/Ay + aztreonem



# Sadly not an ideally managed death

- **27/4/22 and 4/5/22** – patient didn't come to clinic. Daughter collected medications
- **6/5/22** – daughter called ward, oncology, PALS.
  - Distressed
  - PICC line blocked.
  - She needed someone to come to the house and resite IV access urgently
- **OPAT team co-ordinated with GP, Oncology and community palliative care**
- **Patient Died within 48 hours**

# Was this a success or failure?

- **What went well?**

- Prolonged his life with some good quality of life
- Time to accept the diagnosis and outcome
- Got the patient home to family
- Died at home as per his and family wishes

- **What could have been done better?**

- Communication and one voice (Don't give false hope) – communication is key to success
- Avoid delay in discharge
- Non ideally managed death as hadn't considered what to do if blocked IV access

## Lesson learnt

1. Need clarity and consistent messages by all teams early on about OPAT aims – this is palliative OPAT
2. Should have planned for all common scenarios and discussed the end before it happened




**‘Early and continuous discussion with patients, their families and among healthcare professionals involved in the patients’ care about individualized management plan (including antimicrobial treatment, goals of care, frequency of clinical and laboratory monitoring, limitations of OPAT and protocols of escalation) are critical to the success of palliative OPAT’**



Contents lists available at [ScienceDirect](https://www.sciencedirect.com)

## Clinical Infection in Practice

journal homepage: [www.sciencedirect.com/journal/clinical-infection-in-practice](https://www.sciencedirect.com/journal/clinical-infection-in-practice)



Practical clinical reviews

### Palliative outpatient parenteral antimicrobial therapy (OPAT): A single center experience and systematic scoping review

Oyewole Chris Durojaiye <sup>a,b,\*</sup>, Ihsan Jibril <sup>a</sup>, Evangelos I Kritsotakis <sup>c,d</sup>

<sup>a</sup> Department of Infection and Tropical Medicine, Royal Hallamshire Hospital, Sheffield S10 2JF, UK

<sup>b</sup> Department of Microbiology, Royal Derby Hospital, Derby DE22 3NE, UK

<sup>c</sup> Laboratory of Biostatistics, School of Medicine, University of Crete, Heraklion 71003, Greece

<sup>d</sup> School of Health and Related Research, Faculty of Medicine, Dentistry and Health, University of Sheffield, Sheffield S1 4DA, UK





- Patient and family
- ID pharmacy
- OPAT nurses
- Oncology and palliative colleagues
- IV line team
- Drugs & therapeutics committee
- GP